

RECEIVED
CENTRAL FAX CENTER 001/025
SEP 29 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 3729
Docket No. 13494

In re
Patent Application of:

Anatoly Gosis

Serial No.: 10/074,631

Filed: February 12, 2002

Examiner: Trinh, Minh N

"INSTALLATION, INSULATION
DISPLACEMENT, AND TERMINATING TOOL"

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I, Paul F. Donovan, hereby certify that this correspondence is
being transmitted via facsimile to the U.S. Patent Office at
(703) 872-8308, on the date of my signature.


Signature


Date of Signature

BEST AVAILABLE COPY

Sir:


Transmitted herewith is an Amendment in the above-identified application. Applicant hereby requests a one-month extension of time in which to file a response to the outstanding office action. If an additional extension of time is required, please consider this a petition therefore and charge any additional fees which may be required as set forth below.

One additional independent claim has been added to this case.

Please debit Deposit Account No. 09-0025 \$214.00 to cover the requisite fees for the one-month extension and the new independent claim.

Please debit any deficiency or credit any overpayment to Deposit Account No. 09-0025 as may be required in connection with the submission of this Amendment and associated documents. IN NO EVENT CAN THE ISSUE FEE BE CHARGED TO THE DEPOSIT ACCOUNT. A duplicate of this sheet is enclosed.

Respectfully submitted,


Paul F. Donovan / Reg. No. 39,962

Illinois Tool Works Inc.
3600 West Lake Avenue
Glenview, Illinois 60025
(847) 657-4075
Fax (847) 724-4160

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 3729
Docket No. 13494

In re
Patent Application of:

Anatoly Gosis

Serial No.: 10/074,631

Filed: February 12, 2002

Examiner: Trinh, Minh N

"INSTALLATION, INSULATION
DISPLACEMENT, AND TERMINATING TOOL"

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment in the above-identified application. Applicant hereby requests a one-month extension of time in which to file a response to the outstanding office action. If an additional extension of time is required, please consider this a petition therefore and charge any additional fees which may be required as set forth below.

One additional independent claim has been added to this case.

Please debit Deposit Account No. 09-0025 \$214.00 to cover the requisite fees for the one-month extension and the new independent claim.

Please debit any deficiency or credit any overpayment to Deposit Account No. 09-0025 as may be required in connection with the submission of this Amendment and associated documents. IN NO EVENT CAN THE ISSUE FEE BE CHARGED TO THE DEPOSIT ACCOUNT. A duplicate of this sheet is enclosed.

Respectfully submitted,

Paul F. Donovan / Reg. No. 39,962

Illinois Tool Works Inc.
3600 West Lake Avenue
Glenview, Illinois 60025
(847) 657-4075
Fax (847) 724-4160

RECEIVED
CENTRAL FAX CENTER
SEP 29 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

ANATOLY GOSIS

SERIAL NUMBER: 10/074,631

EXAMINER: TRINH

FILED: FEBRUARY 12, 2002

GROUP ART UNIT: 3729

FOR: INSTALLATION, INSULATION DISPLACEMENT,
AND TERMINATING TOOL

A M E N D M E N T

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS
P.O. BOX 1450
ALEXANDRIA, VIRGINIA 22313-1450

SIR:

In connection with the above-identified patent application, and in response to the outstanding office action dated August 5, 2004, please amend the above-identified patent application as follows:

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.